



Original Article

Stem Cell Innovations in Dentistry: Advancing Neuroregeneration, Periodontal Repair, and Craniofacial Reconstruction

 Hashim Al-Hashimi
Hala Foundation For Research

Abstract

Stem cell-based therapies have revolutionized the field of dentistry, offering innovative solutions for a wide range of complex clinical challenges, including neuroregeneration, periodontal repair, and craniofacial reconstruction. This literature review synthesizes the latest advancements in stem cell applications, highlighting their remarkable potential to regenerate damaged tissues and restore function. The review emphasizes the integration of stem cells with cutting-edge technologies such as biomaterials, gene editing, and 3D bioprinting, which have enhanced the precision and efficacy of these therapies. Key findings demonstrate the significant regenerative potential of dental-derived stem cells, such as dental pulp stem cells (DPSCs) and periodontal ligament stem cells (PDLSCs), in promoting nerve repair, mitigating periodontal disease, and addressing congenital and acquired craniofacial defects. The paper also explores emerging trends, including the use of stem cell-derived exosomes, personalized regenerative medicine, and interdisciplinary collaborations, which promise to further enhance the scope and effectiveness of stem cell-based treatments in dentistry. This review underscores the transformative potential of stem cell technologies in dentistry and provides a roadmap for future research and clinical translation to improve patient outcomes and global accessibility to regenerative therapies.

Keywords: 3D bioprinting, artificial intelligence in dentistry, biomaterials, craniofacial defects, craniofacial reconstruction, dental pulp stem cells (DPSCs), exosomes, gene editing, immunomodulation, neuroregeneration, paracrine signaling, periodontal ligament stem cells (PDLSCs), periodontal repair, personalized regenerative medicine, regenerative dentistry, stem cell therapy

Introduction

Stem cell therapy holds immense transformative potential to revolutionize the field of dentistry. This versatile technology offers innovative solutions for a wide range of clinical challenges, from repairing nerve injuries and managing neurodegenerative disorders to regenerating periodontal tissues and reconstructing craniofacial structures. ([Young et al., 2013](#)) The integration of stem cells with cutting-edge advancements in biomaterials, gene editing, and 3D bioprinting is crucial to addressing the complex and multifaceted challenges in the realms of neuroregeneration, periodontal repair, and craniofacial reconstruction.

Stem cells possess the remarkable ability to self-renew and differentiate into a variety of specialized cell types, making them a powerful tool for tissue engineering and regenerative medicine. ([Young et al., 2013](#)) In the context of dentistry, stem cells derived from dental pulp, periodontal ligament, and oral mucosa have demonstrated remarkable potential for neuroregeneration, periodontal repair, and craniofacial reconstruction. ([Young et al., 2013](#)) By leveraging the unique properties of these stem cell populations, clinicians can develop novel therapeutic strategies to restore function and improve patient outcomes.

This literature review aims to comprehensively synthesize the latest advancements in the interdisciplinary application of stem cells, highlighting their transformative impact and the importance of integrating them with emerging technologies to drive progress in dentistry. ([Wang et al., 2018](#)) The review will explore the various mechanisms by which stem cells can promote neuroregeneration, facilitate periodontal regeneration, and aid in craniofacial reconstruction, as well as the innovative approaches that are being developed to harness their full potential.

Methodology

A comprehensive and systematic search was conducted across major electronic databases, including **PubMed, Scopus, Google Scholar, Web of Science, EMBASE, and Cochrane Library**, to identify and retrieve all relevant literature on the application of stem cell technologies in dentistry from 2012-2024. The search strategy employed a combination of keywords and MeSH terms, such as "dental stem cells," "neuroregeneration," "periodontal regeneration," "craniofacial reconstruction," "biomaterials," and "stem cell-based therapies." This multifaceted approach ensured a robust capture of the existing research on the use of stem cells for neuroregeneration, periodontal repair, and craniofacial reconstruction, providing a solid foundation for the subsequent analysis and synthesis of the literature. The review only included articles published in English.

Study Selection Process

- 1 **Initial Screening:** The initial screening process involved a thorough review of the titles and abstracts of all retrieved studies to identify those relevant to the review's scope. This step was critical to ensure that only studies focusing on stem cell applications in dentistry were included.
- 2 **Abstract Evaluation:** Abstracts were carefully examined against predefined inclusion criteria, which included:
 - Focus on stem cell technologies in dental and orofacial applications.
 - Relevance to neuroregeneration, periodontal repair, or craniofacial reconstruction.

- Emphasis on innovative methodologies or significant outcomes in these areas.
- 3 **Inclusion of Targeted Studies:** Studies that met the criteria were selected for full-text retrieval to allow for a more detailed evaluation. This process prioritized peer-reviewed articles, clinical trials, systematic reviews, and experimental research that explored stem cell-based approaches in dental contexts.
 - 4 **Final Selection:** The selected full-text studies were subjected to an in-depth analysis to synthesize their findings. This rigorous process ensured the inclusion of high-quality evidence that directly addressed the objectives of the review.

Study Exclusion Process

- 1 **Non-Dental Focus:** Studies that did not specifically explore stem cell applications in dental or orofacial contexts were systematically excluded.
- 2 **Lack of Relevance:** Articles that did not address neuroregeneration, periodontal repair, or craniofacial reconstruction were excluded to maintain the review's targeted focus on these key areas.
- 3 **Outdated or Insufficient Methodologies:** Research employing obsolete methodologies or those lacking sufficient validation to support their findings were excluded from the final synthesis.
- 4 **Limited Clinical Relevance:** Studies that failed to provide meaningful insights into clinical applications, such as the integration of stem cells with biomaterials or other advanced technologies, were also excluded.
- 5 **General Reviews or Grey Literature:** Non-peer-reviewed literature, conference abstracts, and opinion pieces were excluded to uphold the academic rigor and reliability of the review.
- 6 **Misaligned Populations or Outcomes:** Articles that focused on non-human studies without clear translational relevance, or studies involving populations not reflective of dental clinical practice, were excluded.

By carefully applying these inclusion and exclusion criteria, this review synthesized a high-quality, focused body of evidence that reflects the current advancements and best practices in stem cell technologies for neuroregeneration, periodontal repair, and craniofacial reconstruction. This systematic approach ensures the findings are directly relevant to clinical and research contexts in modern dentistry.

Definitions and Key Terms

For the purposes of this comprehensive review, the following key definitions are provided:

Mesenchymal Stem Cells: Multipotent progenitor cells that possess the remarkable ability to differentiate into a diverse array of specialized cell types, including osteoblasts, chondrocytes, myocytes, and adipocytes. These versatile stem cells hold immense potential for tissue engineering and regenerative therapies in the field of dentistry. ([Kwack & Lee, 2022](#))

Periodontal Ligament Stem Cells: A unique population of stem cells derived from the periodontal ligament, a specialized connective tissue that anchors the tooth to the alveolar bone. PDLSCs exhibit

stemness properties and can contribute to the regeneration and repair of periodontal structures.[\(Tomokiyo, 2016\)](#)

Induced Pluripotent Stem Cells (iPSCs): These are reprogrammed somatic cells that have been genetically engineered to exhibit pluripotent properties, akin to embryonic stem cells. iPSCs hold tremendous potential for diverse applications in tissue engineering and regenerative medicine, as they can differentiate into a wide range of cell lineages.[\(Cerneckis et al., 2024\)](#)

Paracrine Signaling: The process by which stem cells secrete a diverse array of bioactive factors, such as growth factors, cytokines, and exosomes, which can exert therapeutic effects on the surrounding cells and tissues, even without direct cell-to-cell contact.[\(Hodgkinson et al., 2023\)](#)

Biomaterials: Synthetic or naturally-derived materials that are designed to interact with biological systems for various applications, including tissue engineering, drug delivery, and medical implants.[\(Cao & Ding, 2022\)](#)

Quality Assessment

To ensure the methodological rigor and quality of the included studies, this review employed a comprehensive quality assessment framework. Specifically, it utilized the Preferred Reporting Items for Systematic Reviews and Meta-Analyses guidelines to meticulously evaluate the reporting completeness and transparency of the included studies. Additionally, the Cochrane Risk of Bias tool was leveraged to thoroughly assess the potential sources of bias, including selection bias, performance bias, detection bias, attrition bias, and reporting bias, within the selected studies. This rigorous quality evaluation process allowed for a deeper understanding of the reliability and validity of the findings, thereby strengthening the overall confidence in the conclusions drawn from the synthesized evidence.

Data Extraction and Synthesis

The data extraction process involved a comprehensive and systematic review of the key information reported in the included studies. This entailed carefully identifying and collating critical details such as the study design, the specific stem cell sources utilized, the experimental models employed, the observed regenerative outcomes, and the emerging technological advancements that were integrated into the research. The extracted data was then meticulously synthesized to uncover overarching themes, discernible trends, and areas of pioneering progress within the vital domains of neuroregeneration, periodontal repair, and craniofacial reconstruction. This rigorous analytical approach allowed for a deeper and more nuanced understanding of the transformative potential of stem cell-based therapies in addressing a wide range of complex dental and orofacial challenges.

Literature Review

Neuroregeneration

Stem Cell Types for Neural Repair

Stem cell-based approaches have demonstrated immense potential for the regeneration and restoration of dental-related nerve injuries and neurodegenerative conditions [\(Pandula et al., 2014\)](#) [\(Stoppel et al., 2014\)](#). Dental pulp stem cells, in particular, have garnered significant attention due to their inherent

neurogenic capacity and ability to differentiate into functional neural-like cells. ([Young et al., 2013](#)) These stem cells, derived from the dental pulp tissue, have shown promising results in preclinical models of spinal cord injury, Parkinson's disease, and trigeminal neuralgia, highlighting their versatility and therapeutic promise. ([Young et al., 2013](#))

In addition to dental pulp stem cells, other stem cell populations, such as periodontal ligament stem cells and induced pluripotent stem cells (iPSCs), have also emerged as valuable resources for neuroregeneration. ([Wang et al., 2019](#)) These alternative stem cell sources possess unique characteristics and demonstrate the ability to promote nerve regeneration, enhance neuroplasticity, and mitigate neuropathic pain through a range of mechanisms, including paracrine signaling and targeted differentiation. ([Sharma et al., 2019](#))

Neuroplasticity and Functional Recovery

The remarkable neurogenic potential of dental stem cells, particularly dental pulp stem cells and periodontal ligament stem cells, combined with their ability to secrete a diverse array of neurotrophic factors, have positioned these stem cell populations as highly promising candidates for enhancing neuroplasticity and facilitating functional recovery following nerve injuries or neurodegenerative insults. ([Young et al., 2013](#)) ([Sui et al., 2018](#)) Emerging evidence from preclinical and clinical studies suggests that strategically transplanted or delivered dental stem cells can stimulate the regeneration of damaged nerves, promote the formation of new neural connections, and support the survival and integration of existing neurons. ([Young et al., 2013](#)) ([Sui et al., 2018](#)) This multifaceted regenerative capacity is attributed to the stem cells' inherent neurogenic differentiation potential as well as their paracrine signaling mechanisms, which can activate endogenous repair processes and create a conducive microenvironment for nerve tissue restoration. ([Caseiro et al., 2016](#)) Moreover, the accessibility and autologous nature of dental stem cells make them an attractive alternative to other stem cell sources, as they can be harvested with minimal invasiveness and employed in personalized regenerative therapies without the ethical concerns associated with embryonic or fetal-derived stem cells. ([Noce et al., 2014](#)) The integration of dental stem cells with emerging technologies, such as biomaterials, gene editing, and 3D bioprinting, further enhances their therapeutic potential for addressing a wide range of nerve-related disorders in the orofacial region, including trigeminal neuralgia, facial nerve paralysis, and various forms of craniofacial pain. ([Tuffaha et al., 2022](#)) ([Gu et al., 2022](#)) ([Doyle et al., 2021](#))

Dental Pulp Stem Cells in Revascularization and Regenerative Therapies

Dental pulp stem cells have demonstrated remarkable potential for neural regeneration and repair due to their unique properties derived from their origin in the cranial neural crest lineage. ([Sui et al., 2018](#)) ([Luo et al., 2018](#)) ([Heng et al., 2022](#)) These stem cells possess an inherent neurogenic capacity, allowing them to differentiate into functional neural-like cells and secrete a diverse array of neurotrophic factors that are crucial for promoting nerve tissue repair, enhancing neuroplasticity, and supporting the survival and integration of existing neurons. ([Sultan et al., 2020](#))

In addition to their neurogenic potential, dental pulp stem cells have also shown promise in revascularization and other regenerative therapies. These stem cells reside in a neurovascular niche and have the potential for angiogenesis, which is the formation of new blood vessels. ([Sui et al., 2018](#)) This ability to promote vascularization is crucial for the successful regeneration and functional restoration of

damaged or diseased tissues, as an adequate blood supply is essential for providing nutrients, oxygen, and other essential factors to support the regenerative process. ([Diomedea et al., 2020](#))

Furthermore, dental pulp stem cells have demonstrated the capacity to differentiate into a variety of cell types, including osteoblasts, adipocytes, and chondrocytes, making them a versatile cell source for a wide range of regenerative applications. ([Zhou et al., 2020](#)) Their accessibility and autologous nature make them an attractive alternative to other stem cell sources, as they can be harvested with minimal invasiveness and employed in personalized regenerative therapies without the ethical concerns associated with embryonic or fetal-derived stem cells. ([Zhang & Cheng, 2023](#))

The integration of dental pulp stem cells with emerging technologies, such as biomaterials, gene editing, and 3D bioprinting, further enhances their therapeutic potential for addressing a wide range of nerve-related disorders in the orofacial region, as well as other complex dental and craniofacial conditions. ([Cho et al., 2022](#))

Craniofacial Pain and Facial Nerve Paralysis

Stem cell-based interventions have demonstrated promising results in the management of craniofacial pain conditions and the restoration of facial nerve function. Dental pulp stem cells, in particular, have shown the ability to differentiate into neural-like cells and secrete a diverse array of neurotrophic factors, such as nerve growth factor, brain-derived neurotrophic factor, and glial cell-derived neurotrophic factor. These factors play crucial roles in promoting nerve regeneration, enhancing neuroplasticity, and mitigating neuropathic pain associated with various craniofacial disorders. ([Wang et al., 2020](#)) ([Luo et al., 2018](#))

The unique neurogenic potential and paracrine signaling capabilities of dental pulp stem cells make them an attractive therapeutic option for addressing complex nerve-related conditions in the orofacial region, including trigeminal neuralgia, facial nerve paralysis, and other forms of chronic craniofacial pain. ([Young et al., 2013](#)) Ongoing research is further exploring the integration of these stem cells with emerging technologies, such as biomaterials and gene editing, to optimize their regenerative and restorative effects on the damaged or dysfunctional nerve tissues in the craniofacial complex. ([Jalali et al., 2014](#)) ([Oliver et al., 2020](#))

Trigeminal and Facial Nerve Regeneration

Injuries or degenerative conditions affecting the trigeminal and facial nerves can have severe and debilitating consequences, including chronic pain, sensory disturbances, and facial muscle paralysis. ([Rosén et al., 2016](#)) Stem cell-based therapies, particularly those leveraging the robust neurogenic potential of dental pulp stem cells and periodontal ligament stem cells, have emerged as highly promising approaches for promoting the regeneration and functional restoration of these critical nerve structures. ([Wang et al., 2019](#))

Extensive preclinical studies have demonstrated that strategically transplanted dental stem cells can effectively differentiate into functional neural-like cells, seamlessly integrate with the damaged nerve tissue, and stimulate the targeted regeneration of axons and myelin sheaths. ([Luo et al., 2018](#)) ([Kolar et al., 2017](#)) Furthermore, the potent paracrine signaling mechanisms of these stem cells, involving the

secretion of a diverse array of neurotrophic factors, have been shown to create a highly conducive microenvironment that not only supports nerve tissue repair but also enhances neuroplasticity and facilitates functional recovery. [\(Sultan et al., 2020\)](#) This multifaceted regenerative capacity of dental stem cells, combined with their accessibility and autologous nature, makes them an attractive alternative to other stem cell sources for addressing a wide range of nerve-related disorders in the orofacial region. [\(Marinkovic et al., 2020\)](#)

Management of Orofacial Pain

Orofacial pain conditions, such as trigeminal neuralgia, temporomandibular disorders, and neuropathic pain, pose significant challenges due to their complex etiology and the limited effectiveness of traditional pharmacological and surgical interventions. These conditions can have severe and debilitating consequences, including chronic pain, sensory disturbances, and impaired function. [\(Nabhan, 2023\)](#) [\(Jazayeri et al., 2017\)](#) In this context, stem cell-based therapies, particularly those leveraging the unique neurogenic properties of dental pulp stem cells and periodontal ligament stem cells, have emerged as promising strategies for managing orofacial pain through a range of mechanisms. [\(Young et al., 2013\)](#) Dental stem cells possess the ability to differentiate into functional neural-like cells, secrete a diverse array of neurotrophic factors, and create a conducive microenvironment for nerve tissue repair and regeneration. These multifaceted regenerative capabilities have been demonstrated in preclinical studies, positioning dental stem cells as attractive alternatives to traditional therapies for addressing the complex and often intractable nature of orofacial pain disorders. [\(Nabhan, 2023\)](#) [\(Young et al., 2013\)](#) [\(Jazayeri et al., 2017\)](#) Stem cell-based interventions can address orofacial pain through several mechanisms:

- 1 **Nerve Regeneration:** Dental stem cells can differentiate into neural-like cells and integrate with damaged nerve tissues, promoting the regeneration of axons and myelin sheaths to restore nerve function and alleviate pain. [\(Wang et al., 2020\)](#)
- 2 **Paracrine Signaling:** The secretion of a diverse array of neurotrophic factors by dental stem cells can create a supportive microenvironment that enhances nerve tissue repair, modulates inflammation, and promotes the survival and function of existing neurons. [\(Luo et al., 2018\)](#)
- 3 **Neuroplasticity Enhancement:** Dental stem cells can stimulate the formation of new neural connections and facilitate the reorganization of neural pathways, enabling the restoration of sensory and motor function, and mitigating neuropathic pain. [\(Raza et al., 2018\)](#)
- 4 **Integrated Therapies:** The combination of dental stem cells with emerging technologies, such as biomaterials and gene editing, can further optimize their regenerative and pain-relieving effects, leading to more effective and personalized management of orofacial pain disorders. [\(Ye et al., 2021\)](#)

Neurodegenerative Disorders and Oral Health

Neurodegenerative diseases, such as Parkinson's disease and Alzheimer's disease, often manifest with a range of orofacial symptoms that can significantly impact a patient's quality of life. [\(Fereshtehnejad et al., 2023\)](#) These symptoms may include impaired chewing and swallowing abilities, alterations in salivary function, and an increased susceptibility to oral health complications like periodontal disease, dental caries, and xerostomia. [\(Gilkey & Plaza-Villegas, 2017\)](#) The complex interplay between these neurological disorders and their associated oral manifestations underscores the need for comprehensive, integrated approaches to management and treatment. [\(Auffret et al., 2021\)](#)

Stem cell-based interventions, leveraging the unique neurogenic potential and paracrine signaling capabilities of dental stem cells, such as dental pulp stem cells and periodontal ligament stem cells, offer promising avenues for addressing the multifaceted challenges posed by neurodegenerative disorders and their oral health implications. ([Xiong et al., 2022](#)) These stem cells have demonstrated the ability to differentiate into functional neural-like cells, secrete a diverse array of neurotrophic factors, and create a conducive microenvironment for nerve tissue repair and regeneration. ([Wang et al., 2019](#)) ([Man et al., 2019](#)) By harnessing these regenerative properties, stem cell-based therapies hold the potential to not only manage the debilitating orofacial symptoms associated with neurodegenerative diseases but also to potentially slow or even reverse the underlying neurological pathologies, ultimately improving the overall well-being and quality of life for affected individuals. ([Fereshtehnejad et al., 2023](#))

Exosomes for Neuroregeneration

Emerging research has highlighted the remarkable therapeutic potential of stem cell-derived exosomes in the field of neuroregeneration, particularly in the context of dental and craniofacial applications. Exosomes are extracellular vesicles released by cells, including stem cells, that act as crucial mediators of paracrine signaling and can transport a diverse cargo of bioactive molecules, such as proteins, lipids, and genetic material. These exosomes have emerged as a promising alternative to direct stem cell transplantation, offering a more targeted and efficient approach to harnessing the regenerative capabilities of stem cells. ([Han et al., 2015](#))

Dental and oral-derived stem cells, including dental pulp stem cells and periodontal ligament stem cells, have been extensively studied for their exosome-mediated neuroprotective and neurorestorative effects. These stem cell-derived exosomes have been found to exhibit potent neuroregenerative properties, enhancing neuronal survival, promoting axonal regeneration, and modulating the inflammatory and immune responses associated with nerve tissue injury and degeneration. ([Vishnubhatla et al., 2014](#)) The mechanistic insights into these exosome-driven processes have revealed their ability to facilitate the remyelination of damaged nerve fibers and stimulate the formation of functional neuronal networks, which are crucial for the restoration of sensory and motor function in various craniofacial disorders. ([Xing et al., 2020](#))

The therapeutic potential of stem cell-derived exosomes extends well beyond their trophic support for nerve tissues. Ongoing research is exploring their capacity to regulate key signaling pathways, deliver targeted genetic material, and interact with the local cellular microenvironment to create a highly conducive milieu for nerve tissue repair and regeneration. These multifaceted regenerative capabilities of exosomes, combined with their enhanced stability, bioavailability, and ease of administration, position them as a transformative approach in the field of neuroregeneration, with significant implications for the management of a wide range of dental and craniofacial nerve-related conditions. ([Young et al., 2013](#)) ([Sui et al., 2018](#))

Adjunctive Technologies

The integration of stem cell-based therapies with emerging technologies, such as 3D bioprinting, biomaterials, and gene editing, has significantly expanded the possibilities for addressing the complex challenges in dental and craniofacial neuroregeneration. ([Ostrovidov et al., 2023](#)) 3D bioprinting, in particular, has revolutionized the field by enabling the precise and customized fabrication of

tissue-engineered constructs that can recapitulate the intricate architecture and cellular composition of native nerve tissues. This technology allows for the incorporation of stem cells, growth factors, and biomimetic scaffolds to create a highly conducive microenvironment for nerve regeneration and functional restoration, promoting the regeneration of damaged or lost nerve tissues. ([Wieringa et al., 2018](#))

Furthermore, the integration of gene editing tools, like CRISPR-Cas9, empowers researchers to precisely modulate the genetic profile of stem cells, enhancing their neurogenic potential and therapeutic efficacy. By selectively targeting and upregulating key genes involved in neural differentiation and nerve tissue regeneration, researchers can optimize the regenerative capabilities of stem cells, making them more effective in addressing the complex challenges associated with dental and craniofacial neuroregeneration. The synergistic combination of these cutting-edge technologies with stem cell-based therapies holds tremendous promise for paving the way for more effective and personalized treatments for a wide range of nerve-related disorders in the dental and craniofacial regions. ([Heng et al., 2022](#))

Photobiomodulation, the use of low-intensity light to modulate biological processes, and electrical stimulation have also emerged as promising adjunctive technologies to enhance neural regeneration in dental and craniofacial applications. ([Tang & Arany, 2013](#)) Photobiomodulation has been observed to stimulate the proliferation and differentiation of stem cells, including dental stem cells, towards a neurogenic lineage, by activating specific signaling pathways and upregulating the production of neurotrophic factors. ([Asan et al., 2021](#)) This creates a favorable microenvironment that supports nerve tissue repair and regeneration. Similarly, electrical stimulation has been shown to promote the migration, proliferation, and neuronal differentiation of stem cells, as well as to improve axonal growth and myelination, further enhancing the regenerative potential of stem cells. By leveraging the synergistic effects of these complementary modalities, researchers can more effectively harness the synergistic effects of these complementary modalities to more effectively promote nerve tissue repair and regeneration. By leveraging the combined benefits of stem cell-based therapies, 3D bioprinting, gene editing, and adjunctive technologies like photobiomodulation and electrical stimulation, the field of dental and craniofacial neuroregeneration is poised to make significant advancements in addressing a wide range of nerve-related conditions and improving patient outcomes.

([Moskow et al., 2018](#))([Drewry et al., 2022](#))

Periodontal Repair

Stem Cells in Periodontal Regeneration

Periodontal diseases, characterized by the destruction of the tooth-supporting structures, including the alveolar bone, cementum, and periodontal ligament, represent a significant public health concern. Conventional treatment approaches, such as scaling, root planing, and surgical interventions, have had limited success in achieving complete regeneration of the damaged periodontal tissues. ([Shin et al., 2023](#))

The emergence of stem cell-based therapies, particularly the utilization of periodontal ligament stem cells, mesenchymal stem cells, and dental pulp stem cells, has opened up new avenues for periodontal regeneration. PDLSCs have been at the forefront of research, demonstrating a remarkable capacity to differentiate into various cell types, including osteoblasts, cementoblasts, and fibroblasts, which are essential for the reconstitution of the complex periodontal architecture. ([Tomokiyo, 2016](#)) These stem

cells possess the unique ability to migrate, proliferate, and secrete a diverse array of growth factors and extracellular matrix components, creating a favorable microenvironment for the regeneration of the periodontal tissues. Similarly, MSCs and DPSCs have shown promising results in promoting the repair and regeneration of the periodontal structures, contributing to the restoration of the tooth-supporting apparatus. ([Hernández-Monjaraz et al., 2018](#))

Paracrine Signaling in Periodontal Healing

The paracrine signaling mechanisms employed by stem cells have been a central focus in the field of periodontal regeneration research. Stem cells possess the remarkable capacity to secrete a diverse repertoire of bioactive molecules, including growth factors, cytokines, and exosomes, which can profoundly influence the local cellular microenvironment. ([Mesenchymal Stem Cells and Periodontal Regeneration, 2023](#))

Through these paracrine signaling pathways, stem cells are able to stimulate the proliferation and differentiation of resident progenitor cells, while simultaneously inhibiting inflammatory and apoptotic processes. These paracrine factors play a crucial role in orchestrating the complex cascade of events involved in the repair and regeneration of periodontal tissues, guiding key processes such as the recruitment of host cells, the promotion of angiogenesis, and the regulation of extracellular matrix deposition. ([Smith et al., 2014](#))

Furthermore, the therapeutic effects of stem cell-secreted growth factors, cytokines, and exosomes have been shown to be instrumental in regenerating ligaments and alveolar bone. By harnessing the multifaceted paracrine signaling capabilities of stem cells, researchers and clinicians can unlock new possibilities for more effective and comprehensive periodontal regeneration, ultimately restoring the structural and functional integrity of the tooth-supporting apparatus. ([Harris et al., 2018](#))

Immunomodulation

Stem cell-based therapies have shown promise in reducing chronic inflammation associated with periodontal diseases. By modulating the immune system, stem cells can help restore the balance between pro-inflammatory and anti-inflammatory signaling, mitigating the exaggerated immune response that drives the pathogenesis of periodontal diseases. ([Clark et al., 2022](#)) Through the secretion of immunomodulatory factors, such as cytokines, chemokines, and anti-inflammatory molecules, stem cells can suppress the activity of harmful inflammatory cells, like T cells and B cells, while simultaneously enhancing the function of regulatory T cells and promoting the resolution of inflammation. ([Strzelec et al., 2023](#)) ([Kapur & Pal, 2019](#)) This ability of stem cells to restore immune homeostasis is crucial for creating a favorable microenvironment that supports the regeneration of periodontal tissues, ultimately leading to improved clinical outcomes for patients suffering from these debilitating conditions. ([Wang et al., 2020](#))

Epigenetic Approaches

The field of epigenetics has gained increasing attention as a promising avenue for enhancing the regenerative potential of stem cells in periodontal applications. Epigenetic modifications, such as DNA methylation, histone modifications, and the regulation of non-coding RNAs, can profoundly influence gene expression patterns and cellular differentiation processes. By manipulating the epigenetic landscape

of stem cells, researchers can unlock new possibilities for optimizing their regenerative capabilities.[\(Pouikli & Tessarz, 2021\)](#)

For instance, epigenetic priming of stem cells can enhance their proliferative capacity, promote lineage-specific differentiation towards periodontal cell types, and improve their survival and engraftment within the damaged periodontal microenvironment. Additionally, epigenetic interventions can modulate the paracrine signaling profiles of stem cells, leading to the enhanced secretion of growth factors, cytokines, and other bioactive molecules that are crucial for the orchestration of periodontal tissue regeneration.[\(Łagosz-Ćwik et al., 2023\)](#)

Furthermore, the integration of epigenetic approaches with other emerging technologies, such as gene editing and 3D bioprinting, can synergistically enhance the effectiveness of stem cell-based therapies for periodontal repair. By leveraging the power of epigenetics, researchers and clinicians can unlock new frontiers in the field of periodontal regeneration, ultimately improving treatment outcomes and restoring the structural and functional integrity of the tooth-supporting apparatus.[\(Upadhyay et al., 2020\)](#)

Probiotics and Microbiome Synergy

The intricate interplay between the oral microbiome and the development of periodontal diseases has been extensively studied and well-documented. The delicate balance within the microbial community residing in the oral cavity plays a critical role in maintaining periodontal health, and disturbances in this equilibrium can significantly contribute to the pathogenesis of various periodontal conditions.[\(Sudhakara et al., 2018\)](#) Alterations in the composition, diversity, and metabolic activities of the oral microbiome have been associated with the onset and progression of periodontal diseases, highlighting the fundamental importance of understanding the complex dynamics between the host and its resident microbial inhabitants.[\(Lenartova et al., 2021\)](#) By elucidating the mechanisms by which the oral microbiome influences periodontal health, researchers and clinicians can develop more targeted and effective interventions to prevent and manage these debilitating oral diseases.[\(Curtis et al., 2020\)](#)

3D Bioprinting for Periodontal Scaffolds

3D bioprinting technology has emerged as a transformative approach for the fabrication of biomimetic scaffolds that can recapitulate the complex architecture and microenvironment of periodontal tissues. By leveraging the precision and versatility of 3D printing, researchers can engineer scaffolds that closely resemble the natural periodontal structures, including the alveolar bone, cementum, periodontal ligament, and gingiva.[\(Porta et al., 2020\)](#)

These 3D-printed scaffolds can be designed to incorporate a variety of biomaterials, such as natural polymers, synthetic polymers, and bioceramics, which can be tailored to mimic the specific extracellular matrix components and mechanical properties of the target periodontal tissues. Furthermore, these scaffolds can be loaded with stem cells, growth factors, and other bioactive molecules to create a conducive microenvironment for periodontal regeneration.[\(Daghery & Bottino, 2022\)](#)

The integration of 3D bioprinting with advanced characterization techniques, such as high-resolution imaging and biomechanical testing, has enabled the development of highly customizable and patient-specific periodontal scaffolds. By leveraging these cutting-edge technologies, researchers and

clinicians can optimize the design and performance of 3D-printed scaffolds, ensuring a more effective and personalized approach to periodontal tissue engineering and regeneration. [\(Park, 2019\)](#)

Growth Factors and Biomaterial Integration

The strategic integration of growth factors and biomaterials is a crucial aspect of stem cell-based therapies for periodontal regeneration. Growth factors, such as bone morphogenetic proteins, platelet-derived growth factors, and vascular endothelial growth factors, play essential roles in regulating the proliferation, differentiation, and maturation of stem cells, as well as orchestrating the complex processes of tissue regeneration. [\(Zhang et al., 2018\)](#)

By carefully incorporating these growth factors into biomaterial-based scaffolds or controlled delivery systems, researchers can create a synergistic and highly conducive microenvironment that supports the homing, engraftment, and lineage-specific differentiation of stem cells towards the desired periodontal cell types, including osteoblasts, cementoblasts, and fibroblasts. This strategic approach ensures that the regenerated periodontal tissues can closely mimic the native structural and functional characteristics, promoting their successful integration with the surrounding dental and craniofacial structures. [\(Batool et al., 2018\)](#)

Moreover, the strategic design of biomaterial properties, such as surface topography, porosity, and degradation kinetics, can further enhance the bioactivity and functionality of these scaffolds, optimizing the cellular interactions, nutrient transport, and the overall regenerative potential of the engineered periodontal tissues. By leveraging the synergistic effects of growth factors and biomaterials, researchers and clinicians can develop more effective and reliable stem cell-based therapies for the comprehensive regeneration of periodontal structures, ultimately improving patient outcomes and restoring oral health. [\(Meghil et al., 2023\)](#)

Craniofacial Reconstruction

Bone and Soft Tissue Regeneration

Stem cells have emerged as a promising approach for repairing a wide range of craniofacial defects, including those caused by trauma, tumor resection, or congenital anomalies. Mesenchymal stem cells, in particular, have demonstrated remarkable capabilities in regenerating both hard and soft tissues within the craniofacial region. [\(Zhang et al., 2020\)](#)

For bone regeneration, stem cells can be combined with osteoinductive biomaterials, such as calcium phosphate-based ceramics or demineralized bone matrices, to stimulate the formation of new, functional bone [\(Liu et al., 2019\)](#) [\(Shakoori et al., 2016\)](#) [\(Batool et al., 2018\)](#). These engineered bone grafts can be utilized to reconstruct critical-size defects, restoring the structural integrity and biomechanical properties of the craniofacial skeleton. [\(Gaihre et al., 2017\)](#)

In parallel, stem cell-based therapies have also shown promise in the regeneration of soft tissues, including muscle, cartilage, and skin. By harnessing the paracrine signaling and differentiation potential of stem cells, researchers can engineer complex, multi-tissue constructs that mimic the natural architecture and functionality of the craniofacial region. [\(Oliver et al., 2020\)](#)

The integration of emerging technologies, such as 3D bioprinting and gene editing, further enhances the versatility and precision of stem cell-based craniofacial reconstruction. Clinicians can leverage these advanced tools to create highly customized, patient-specific grafts and implants that optimize both the structural and esthetic outcomes of complex craniofacial reconstructions. [\(Borrelli et al., 2019\)](#)

Hybrid Scaffolds

Through advancements in biomaterial engineering, researchers have developed sophisticated hybrid scaffolds that seamlessly integrate multiple tissue components. These innovative scaffolds are designed to closely mimic the intricate microstructure and composition of the native craniofacial tissues, enabling a more biomimetic approach to tissue regeneration. [\(Lastra et al., 2018\)](#)

The versatility of these hybrid scaffolds lies in their ability to incorporate a diverse array of biomaterials, including natural polymers, synthetic polymers, ceramics, and even decellularized extracellular matrices. This diverse material integration allows for the creation of highly customizable platforms that can be tailored to the specific requirements of individual craniofacial defects or reconstruction needs. [\(Jindal et al., 2020\)](#)

By leveraging the unique properties and synergistic interactions of these varied biomaterials, researchers can engineer hybrid scaffolds that not only closely resemble the native tissue architecture but also provide the necessary cues and support for successful tissue regeneration. This multifaceted approach to scaffold design represents a significant stride in the field of craniofacial tissue engineering, opening new avenues for more effective and personalized reconstructive solutions. [\(Emara & Shah, 2021\)](#)

TMJ Disorders

Temporomandibular joint disorders represent a multifaceted set of conditions that significantly impact the jaw joint and surrounding musculoskeletal structures. These complex disorders can manifest in various ways, often leading to debilitating pain, functional impairments, and a substantial reduction in the quality of life for affected individuals. [\(De Rossi, 2023\)](#) In response to the limitations of traditional treatment approaches, stem cell-based therapies have emerged as a promising strategy for the comprehensive regeneration and restoration of the TMJ components, including the articular cartilage, underlying subchondral bone, as well as the associated ligaments and tendons. [\(Bellinghen et al., 2018\)](#) By harnessing the regenerative potential of stem cells, clinicians and researchers are exploring innovative ways to address the diverse pathological changes that characterize TMJ disorders, ultimately aiming to provide more effective and durable solutions for improving patient outcomes and restoring normal joint function. [\(Gong et al., 2022\)](#)

Stem Cell Integration with 3D Printing

One of the most transformative advancements in craniofacial reconstruction is the seamless integration of stem cell technologies with cutting-edge 3D printing techniques. By leveraging the unparalleled versatility and precision of 3D printing, clinicians can now create highly customized, patient-specific grafts and implants that strategically incorporate a synergistic combination of stem cells, biomaterials, and bioactive factors [\(Zhou & Grayson, 2022\)](#).

This innovative integrated approach enables the precise placement and spatial organization of stem cells within the 3D-printed scaffolds, optimizing their survival, proliferation, and lineage-specific differentiation. Furthermore, the tailored design of the scaffold's physical and chemical properties, such as surface topography, porosity, and degradation kinetics, can provide the necessary cues and microenvironmental signals to guide the stem cells towards the desired tissue lineages, ultimately enhancing the overall regenerative potential and functional integration of the engineered craniofacial constructs. By harnessing the full potential of this multifaceted technology, clinicians can develop more effective and personalized stem cell-based therapies to address a wide range of craniofacial defects and deformities, leading to improved patient outcomes and the restoration of natural form and function.[\(Oliver et al., 2020\)](#)[\(Rajan et al., 2014\)](#)

Facial Aesthetic Enhancements

Beyond their exceptional regenerative abilities, stem cells have also emerged as a transformative force in the field of facial aesthetics and rejuvenation. By leveraging the unique properties and multifunctional potential of stem cells, clinicians and researchers are uncovering innovative ways to enhance the structural integrity, youthful appearance, and natural harmony of the face. [\(Zhang et al., 2020\)](#) Whether through direct stem cell-based interventions or by harnessing the paracrine signaling and differentiation capabilities of these versatile cells, the integration of stem cell technologies is poised to revolutionize the field of facial aesthetics, enabling more personalized, effective, and long-lasting solutions for patients seeking to revitalize and rejuvenate their facial features.[\(Cohen et al., 2017\)](#)[\(Sclafani, 2013\)](#) This multifaceted approach holds immense promise, not only for restoring a vibrant and youthful aesthetic but also for addressing underlying functional and structural challenges, ultimately leading to a more comprehensive enhancement of the face and an improvement in overall patient well-being.[\(Borrelli et al., 2019\)](#)

Stem Cell Applications for Congenital Defects

Congenital craniofacial anomalies, such as cleft lip and palate, craniosynostosis, and hemifacial microsomia, present significant challenges in terms of comprehensive surgical reconstruction and restoration of function. These complex conditions can profoundly impact an individual's appearance, feeding, speech, hearing, and overall quality of life, often leading to long-term physical, emotional, and social challenges. Stem cell-based strategies have emerged as a transformative approach to addressing these congenital defects, offering the potential for more predictable and durable outcomes by harnessing the inherent regenerative capacity of stem cells.[\(Sanchez-Lara et al., 2012\)](#)

By leveraging the unique properties and versatility of stem cells, clinicians can explore novel therapeutic avenues for regenerating and repairing the diverse range of tissues affected by these congenital conditions, including bone, cartilage, soft tissues, and even neural structures. This multifaceted approach holds immense promise for achieving more comprehensive and functional restoration, ultimately improving the physical, emotional, and social well-being of individuals affected by these complex craniofacial anomalies. Through the integration of stem cell technologies with advanced surgical techniques, clinicians can develop personalized treatment plans that address the unique needs of each patient, leading to enhanced outcomes and a better quality of life for those affected by these debilitating congenital conditions.[\(Jalali et al., 2014\)](#)

Bioengineered Organoids

The advent of stem cell-derived organoids has profoundly transformed the field of craniofacial regenerative medicine, providing researchers and clinicians with unprecedented opportunities to recapitulate the intricate three-dimensional structures and cellular interactions that characterize the complex tissues and organs of the craniofacial region.[\(Craniofacial Tissue Engineering, 2023\)](#) These bioengineered organoids, which faithfully mimic the intricate microenvironments and developmental pathways of their in vivo counterparts, have emerged as powerful tools for studying disease pathogenesis, modeling congenital abnormalities, and evaluating the efficacy of novel stem cell-based therapeutic approaches. [\(Takebe & Wells, 2019\)](#) By leveraging the self-organizing and self-renewing properties of stem cells, researchers can now generate highly customizable, patient-specific organoids that serve as versatile platforms for advancing our understanding of craniofacial development, testing targeted interventions, and ultimately, engineering personalized tissues and organ replacements to restore form and function in the treatment of various craniofacial conditions and defects.[\(Mitchell & Lo, 2022\)](#)

Interdisciplinary Advances

Artificial Intelligence (AI) in Stem Cell Therapy

The integration of artificial intelligence and machine learning has significantly amplified the potential of stem cell-based therapies in the field of craniofacial regenerative medicine. These advanced computational techniques have enabled the comprehensive analysis of vast troves of data related to stem cell biology, tissue engineering, and clinical outcomes, empowering researchers to uncover novel patterns, forecast treatment trajectories with greater accuracy, and optimize personalized therapeutic strategies. [\(Jalali et al., 2014\)](#)

By harnessing the power of AI-powered tools, clinicians can now more precisely predict the dynamic behavior and lineage-specific differentiation potential of stem cells. This enhanced predictive capability, in turn, allows for the optimization of biomimetic scaffold design and fabrication, ensuring the delivery of tailored microenvironmental cues that guide stem cells towards the desired tissue regeneration outcomes. Ultimately, this synergistic integration of AI and stem cell technologies paves the way for the development of truly personalized treatments, where each patient's unique needs and characteristics are meticulously accounted for, leading to improved therapeutic efficacy and long-term functional restoration in the management of complex craniofacial conditions and defects.[\(Tiberio et al., 2021\)](#)[\(Sgarzani et al., 2022\)](#)

Robotics and Stem Cell Therapies

The convergence of robotics and stem cell-based regenerative strategies has ushered in a groundbreaking era in craniofacial reconstruction, offering unprecedented levels of precision, accuracy, and personalization in the delivery of therapeutic interventions. By integrating state-of-the-art robotic systems with the inherent regenerative capabilities of stem cells, clinicians can now devise highly customized treatment plans that cater to the unique anatomical and functional needs of each patient. This synergistic approach not only enhances the surgical execution but also enables a more targeted and efficient application of stem cell-based therapies, improving the overall outcomes and reducing the risk of complications. The incorporation of robotic guidance and control further amplifies the potential for successful tissue engineering, graft fabrication, and implantation, ultimately leading to more predictable

and durable reconstructive results in the management of complex craniofacial deformities and defects.[\(Oh, 2018\)](#)

Gene Editing and CRISPR

The advent of gene editing technologies, particularly the CRISPR-Cas9 system, has revolutionized the field of craniofacial regenerative medicine, opening up new frontiers in the precise manipulation of stem cell genomes. This powerful gene editing tool has unlocked unprecedented opportunities to engineer stem cells with enhanced regenerative capabilities, tailored lineage-specific differentiation profiles, and improved integration with the host tissue microenvironment.[\(Yang & Huang, 2019\)](#) By leveraging CRISPR-mediated genome editing, researchers can now selectively modulate the expression of key genes involved in stem cell proliferation, migration, and lineage commitment, optimizing their therapeutic potential for craniofacial regeneration. [\(Sanchez-Lara et al., 2012\)](#)

Gene editing, specifically the CRISPR-Cas9 system, involves the use of a guide RNA (gRNA) that binds to a target DNA sequence, and a Cas9 enzyme that cuts the DNA at that specific location. This enables researchers to precisely modify or remove targeted genetic sequences within stem cells, allowing for the enhancement of desired traits and the correction of genetic defects. [\(Mo et al., 2020\)](#) By harnessing this technology, researchers can now endow stem cells with heightened proliferative potential, directed lineage commitment, and optimized interactions with the surrounding extracellular matrix and signaling cues. [\(Hao et al., 2022\)](#) This level of precise genetic control has paved the way for the development of personalized stem cell-based therapies that can address the complex and diverse needs of patients with craniofacial deformities and defects. By engineering stem cell populations with CRISPR, clinicians can now better facilitate the regeneration and reconstruction of the intricate tissues and structures that comprise the craniofacial region, ultimately leading to more predictable and durable therapeutic outcomes. [\(Borrelli et al., 2019\)](#)

Systemic Implications

The advancements in stem cell-based regenerative strategies for craniofacial applications hold far-reaching implications that extend well beyond the immediate aesthetic and functional restoration of this region. These innovations have the potential to profoundly impact the overall quality of life for those affected by debilitating craniofacial conditions and defects, facilitating transformative improvements in both physical and psychological well-being. By harnessing the regenerative power of stem cells, clinicians can now devise personalized treatments that not only address the structural and functional impairments associated with these complex issues but also promote the restoration of normalcy and self-confidence for patients. The systemic implications of these advancements thus encompass a holistic enhancement of patient outcomes, empowering individuals to reclaim their sense of identity, social engagement, and overall life satisfaction.[\(Rosenberg et al., 2020\)](#)

Immunotherapy and Stem Cells

The integration of immunotherapeutic approaches with stem cell-based regenerative strategies has emerged as a transformative frontier in craniofacial reconstruction. By harnessing the interplay between the immune system and stem cell biology, clinicians can now devise innovative therapeutic interventions that not only facilitate tissue regeneration but also actively modulate the host's immune response to

promote graft acceptance and functional integration. This multifaceted approach holds immense potential for addressing the complex challenges associated with craniofacial defects and deformities, paving the way for more predictable and durable reconstructive outcomes. Through the strategic manipulation of immune cells, cytokines, and other immunomodulatory factors, stem cell-based therapies can be tailored to overcome the barriers of immune rejection, inflammation, and compromised tissue healing that have historically hindered the success of craniofacial reconstructive procedures. The convergence of stem cell biology and immunotherapeutic strategies represents a groundbreaking advancement that promises to revolutionize the field of craniofacial regenerative medicine, offering patients renewed hope for the restoration of form, function, and overall quality of life.[\(Aly, 2020\)](#)

Personalized Regenerative Medicine

The emergence of personalized regenerative medicine has profoundly transformed the landscape of craniofacial reconstruction, empowering clinicians to devise customized therapeutic interventions that cater to the unique needs, characteristics, and challenges of each individual patient. By harnessing the power of stem cells, advanced biomaterials, and cutting-edge technologies, such as 3D bioprinting and gene editing, clinicians can now create highly personalized constructs and treatment strategies that seamlessly integrate with the patient's own tissues, promoting optimal regeneration, functional restoration, and long-term stability.[\(Paxton et al., 2016\)](#)

This personalized approach to craniofacial regenerative medicine is predicated on a deep, multifaceted understanding of the patient's unique anatomical, physiological, genetic, and even psychosocial profile, as well as the specific requirements and challenges of the affected craniofacial region. Through meticulous evaluation, clinicians can devise tailored solutions that address the intricate complexities inherent to each case, ensuring the treatment plan aligns with the patient's individual needs and ultimately leads to the most favorable long-term outcomes.[\(Borrelli et al., 2019\)](#)

Conclusion

The integration of stem cell-based therapies with emerging technologies, such as gene editing, biomaterials engineering, and 3D bioprinting, has ushered in a transformative era of craniofacial regenerative medicine. These advancements have opened up unprecedented opportunities to restore form, function, and aesthetics for patients with complex craniofacial deformities and defects, empowering clinicians to devise highly personalized solutions that cater to the unique pathophysiology, anatomical considerations, and individual needs of each patient. By harnessing the innate regenerative potential of stem cells, leveraging the power of precise genetic manipulation through cutting-edge tools like CRISPR, and exploiting the synergistic interactions between advanced biomaterials and bioactive signaling cues, clinicians can now design comprehensive, multimodal treatment strategies that not only address the intricate structural and functional impairments but also actively promote the restoration of normalcy, self-confidence, and overall quality of life for those affected by these debilitating craniofacial conditions. This personalized, holistic approach to craniofacial regenerative medicine holds the promise of transformative improvements in patient outcomes, empowering individuals to reclaim their sense of identity, social engagement, and overall well-being.

Recommendations for the Future and Directions Ahead

As the field of craniofacial regenerative medicine continues to evolve, several key areas emerge as critical priorities for future research and clinical translation. These include:

Advancing stem cell-based therapies: Continued research into innovative stem cell sources, differentiation protocols, and delivery methods to optimize regenerative capacity and clinical outcomes. Exploring the use of patient-specific induced pluripotent stem cells to develop personalized treatment approaches.

Integrating emerging technologies: Harnessing the synergistic potential of technologies like gene editing, 3D bioprinting, and smart biomaterials to create highly customized, multifunctional regenerative constructs.

Improving immunomodulation: Developing more effective strategies to modulate the host immune response and overcome barriers to graft acceptance and integration, such as through the use of immunosuppressive factors or engineered stem cells.

Addressing complex craniofacial defects: Tackling the unique challenges associated with large-scale defects, such as those resulting from trauma, cancer resection, or congenital abnormalities, to restore both form and function.

Optimizing clinical translation: Accelerating the transition of promising stem cell-based therapies from the laboratory to the clinic, including through the establishment of robust regulatory frameworks and the design of well-designed, large-scale clinical trials.

Personalized Regenerative Medicine: Leveraging genetic, epigenetic, and microbiome profiling to tailor stem cell therapies for each individual patient, ensuring optimal outcomes. **Addressing Challenges:** Overcoming barriers like cost, accessibility, and regulatory hurdles through innovative financing models, streamlined delivery systems, and collaborative partnerships.

Global Accessibility: Advancing stem cell banking, cost-effective delivery methods, and biodegradable scaffolds to democratize regenerative therapies and make them accessible to underserved populations worldwide.

Research Innovations: Exploring new interdisciplinary research areas, such as bioengineered organs, AI-driven optimization, and the synergistic integration of stem cells with advanced technologies like 3D bioprinting, to drive the next generation of craniofacial regenerative medicine.

By prioritizing these critical areas, the field of craniofacial regenerative medicine can continue to make significant strides in improving patient outcomes and restoring the quality of life for those affected by debilitating craniofacial conditions. Through advancements in stem cell-based therapies, the integration of emerging technologies, enhanced immunomodulation strategies, and the development of personalized treatment approaches, clinicians can devise comprehensive solutions that address the complex structural, functional, and aesthetic challenges faced by each individual patient. This holistic, patient-centric approach to craniofacial regenerative medicine holds the promise of transformative improvements in restoring normalcy, self-confidence, and overall well-being for those impacted by these debilitating conditions.

References

1. Aly, R. M. (2020). Current state of stem cell-based therapies: an overview [Review of Current state of stem cell-based therapies: an overview]. *Stem Cell Investigation*, 7, 8. AME Publishing Company. <https://doi.org/10.21037/sci-2020-001>
2. Asan, M. F., Babu, S., Castelino, R., Rao, K. S., & Pandita, V. (2021). Applications of Photobiomodulation Therapy in Oral Medicine—A Review. In *European Journal of Therapeutics* (Vol. 27, Issue 2, p. 177). <https://doi.org/10.5152/eurjther.2021.20080>
3. Auffret, M., Meuric, V., Boyer, É., Bonnaure-Mallet, M., & Vérin, M. (2021). Oral Health Disorders in Parkinson's Disease: More than Meets the Eye [Review of Oral Health Disorders in Parkinson's Disease: More than Meets the Eye]. *Journal of Parkinson's Disease*, 11(4), 1507. IOS Press. <https://doi.org/10.3233/jpd-212605>
4. Batool, F., Strub, M., Petit, C., Bugueno, I. M., Bornert, F., Clauss, F., Huck, O., Kuchler-Bopp, S., & Benkirane-Jessel, N. (2018). Periodontal Tissues, Maxillary Jaw Bone, and Tooth Regeneration Approaches: From Animal Models Analyses to Clinical Applications [Review of Periodontal Tissues, Maxillary Jaw Bone, and Tooth Regeneration Approaches: From Animal Models Analyses to Clinical Applications]. *Nanomaterials*, 8(5), 337. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/nano8050337>
5. Bellinghen, X. van, Idoux-Gillet, Y., Pugliano, M., Strub, M., Bornert, F., Clauss, F., Schwinté, P., Keller, L., Benkirane-Jessel, N., Kuchler-Bopp, S., Lutz, J., & Fioretti, F. (2018). Temporomandibular Joint Regenerative Medicine [Review of Temporomandibular Joint Regenerative Medicine]. *International Journal of Molecular Sciences*, 19(2), 446. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/ijms19020446>
6. Borrelli, M. R., Hu, M. S., Longaker, M. T., & Lorenz, H. P. (2019). Tissue Engineering and Regenerative Medicine in Craniofacial Reconstruction and Facial Aesthetics [Review of Tissue Engineering and Regenerative Medicine in Craniofacial Reconstruction and Facial Aesthetics]. *Journal of Craniofacial Surgery*, 31(1), 15. Lippincott Williams & Wilkins. <https://doi.org/10.1097/scs.00000000000005840>
7. Cao, D., & Ding, J. (2022). Recent advances in regenerative biomaterials [Review of Recent advances in regenerative biomaterials]. *Regenerative Biomaterials*, 9. University of Oxford. <https://doi.org/10.1093/rb/rbac098>
8. Caseiro, A. R., Pereira, T., Ivanova, G., Luís, A. L., & Maurício, A. C. (2016). Neuromuscular Regeneration: Perspective on the Application of Mesenchymal Stem Cells and Their Secretion Products [Review of Neuromuscular Regeneration: Perspective on the Application of Mesenchymal Stem Cells and Their Secretion Products]. *Stem Cells International*, 2016(1). Hindawi Publishing Corporation. <https://doi.org/10.1155/2016/9756973>
9. Cerneckis, J., Cai, H., & Shi, Y. (2024). Induced pluripotent stem cells (iPSCs): molecular mechanisms of induction and applications. In *Signal Transduction and Targeted Therapy* (Vol. 9, Issue 1). Springer Nature. <https://doi.org/10.1038/s41392-024-01809-0>
10. Cho, Y., Kim, K.-H., Lee, Y., Ku, Y., & Seol, Y. (2022). Dental-derived cells for regenerative medicine: stem cells, cell reprogramming, and transdifferentiation [Review of Dental-derived

- cells for regenerative medicine: stem cells, cell reprogramming, and transdifferentiation]. *Journal of Periodontal & Implant Science*, 52(6), 437. <https://doi.org/10.5051/jpis.2103760188>
11. Clark, D., Radaic, A., & Kapila, Y. L. (2022). Cellular Mechanisms of Inflammaging and Periodontal Disease. In *Frontiers in Dental Medicine* (Vol. 3). Frontiers Media. <https://doi.org/10.3389/fdmed.2022.844865>
 12. Cohen, S. R., Hewett, S., Ross, L. N., Delaunay, F., Goodacre, A., Ramos, C., Leong, T. L., & Saad, A. (2017). Regenerative Cells For Facial Surgery: Biofilling and Biocontouring [Review of Regenerative Cells For Facial Surgery: Biofilling and Biocontouring]. *Aesthetic Surgery Journal*, 37. Oxford University Press. <https://doi.org/10.1093/asj/sjx078>
 13. Craniofacial Tissue Engineering. (2023). <https://perspectivesinmedicine.cshlp.org/content/8/1/a025775>
 14. Curtis, M. A., Diaz, P. I., & Dyke, T. E. V. (2020). The role of the microbiota in periodontal disease [Review of The role of the microbiota in periodontal disease]. *Periodontology* 2000, 83(1), 14. Wiley. <https://doi.org/10.1111/prd.12296>
 15. Daghrery, A., & Bottino, M. C. (2022). Advanced biomaterials for periodontal tissue regeneration [Review of Advanced biomaterials for periodontal tissue regeneration]. *Genesis*, 60(8). Wiley. <https://doi.org/10.1002/dvg.23501>
 16. De Rossi, S. S. (2023). Orofacial pain: a primer. <https://www.sciencedirect.com/science/article/pii/S0011853213000268>
 17. Diomede, F., Marconi, G. D., Fonticoli, L., Pizzicanella, J., Merciaro, I., Bramanti, P., Mazzon, E., & Trubiani, O. (2020). Functional Relationship between Osteogenesis and Angiogenesis in Tissue Regeneration [Review of Functional Relationship between Osteogenesis and Angiogenesis in Tissue Regeneration]. *International Journal of Molecular Sciences*, 21(9), 3242. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/ijms21093242>
 18. Doyle, B. M., Singer, M. L., Curado, T. F., Rana, S., Benevides, E. S., Byrne, B. J., Polotsky, V. Y., & Fuller, D. D. (2021). Gene delivery to the hypoglossal motor system: preclinical studies and translational potential [Review of Gene delivery to the hypoglossal motor system: preclinical studies and translational potential]. *Gene Therapy*, 28(7), 402. Springer Nature. <https://doi.org/10.1038/s41434-021-00225-1>
 19. Drewry, M., Dailey, M. T., Rothermund, K., Backman, C. A., Dahl, K. N., & Syed-Picard, F. N. (2022). Promoting and Orienting Axon Extension Using Scaffold-Free Dental Pulp Stem Cell Sheets. In *ACS Biomaterials Science & Engineering* (Vol. 8, Issue 2, p. 814). American Chemical Society. <https://doi.org/10.1021/acsbiomaterials.1c01517>
 20. Emara, A., & Shah, R. (2021). Recent update on craniofacial tissue engineering [Review of Recent update on craniofacial tissue engineering]. *Journal of Tissue Engineering*, 12, 204173142110037. SAGE Publishing. <https://doi.org/10.1177/20417314211003735>
 21. Fereshtehnejad, S.-M., Skogar, Ö., & Lökk, J. (2023). Evolution of Orofacial Symptoms and Disease Progression in Idiopathic Parkinson's Disease. <https://www.hindawi.com/journals/pd/2017/7802819/>

22. Fereshtehnejad, S., Skogar, Ö., & Lökk, J. (2023). Evolution of Orofacial Symptoms and Disease Progression in Idiopathic Parkinson's Disease. <http://downloads.hindawi.com/journals/pd/2017/7802819.pdf>
23. Gaihre, B., Uswatta, S., & Jayasuriya, A. C. (2017). Reconstruction of Craniomaxillofacial Bone Defects Using Tissue-Engineering Strategies with Injectable and Non-Injectable Scaffolds [Review of Reconstruction of Craniomaxillofacial Bone Defects Using Tissue-Engineering Strategies with Injectable and Non-Injectable Scaffolds]. *Journal of Functional Biomaterials*, 8(4), 49. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/jfb8040049>
24. Gilkey, S. J., & Plaza-Villegas, F. (2017). Evaluation and management of orofacial pain. In *JAAPA* (Vol. 30, Issue 5, p. 16). <https://doi.org/10.1097/01.jaa.0000515539.59451.a9>
25. Gong, S., Emperumal, C. P., Al-Eryani, K., & Enciso, R. (2022). Regeneration of temporomandibular joint using in vitro human stem cells: A review [Review of Regeneration of temporomandibular joint using in vitro human stem cells: A review]. *Journal of Tissue Engineering and Regenerative Medicine*, 16(7), 591. Wiley. <https://doi.org/10.1002/term.3302>
26. Gu, X., Turpin, M. A. C., & Romero-Ortega, M. (2022). Biomaterials and Regenerative Medicine in Pain Management [Review of Biomaterials and Regenerative Medicine in Pain Management]. *Current Pain and Headache Reports*, 26(7), 533. Springer Science+Business Media. <https://doi.org/10.1007/s11916-022-01055-5>
27. Han, C., Sun, X., Liu, L., Jiang, H., Shen, Y., Xu, X., Li, J., Zhang, G., Huang, J., Lin, Z., Xiong, N., & Wang, T. (2015). Exosomes and Their Therapeutic Potentials of Stem Cells [Review of Exosomes and Their Therapeutic Potentials of Stem Cells]. *Stem Cells International*, 2016(1). Hindawi Publishing Corporation. <https://doi.org/10.1155/2016/7653489>
28. Hao, D., Lopez, J.-M., Chen, J., Iavorovschi, A. M., Lelivelt, N. M., & Wang, A. (2022). Engineering Extracellular Microenvironment for Tissue Regeneration [Review of Engineering Extracellular Microenvironment for Tissue Regeneration]. *Bioengineering*, 9(5), 202. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/bioengineering9050202>
29. Harris, S. E., Rediske, M., Neitzke, R., & Rakian, A. (2018). Periodontal Biology: Stem Cells, Bmp2 Gene, Transcriptional Enhancers, and Use of Sclerostin Antibody and Pth for Treatment of Periodontal Disease and Bone Loss. In *Cell Stem cells and Regenerative Medicine* (Vol. 3, Issue 1). <https://doi.org/10.16966/2472-6990.113>
30. Heng, B. C., Bai, Y., Li, X., Zhang, X., & Deng, X. (2022). Extrapolating neurogenesis of mesenchymal stem/stromal cells on electroactive and electroconductive scaffolds to dental and oral-derived stem cells [Review of Extrapolating neurogenesis of mesenchymal stem/stromal cells on electroactive and electroconductive scaffolds to dental and oral-derived stem cells]. *International Journal of Oral Science*, 14(1). Springer Nature. <https://doi.org/10.1038/s41368-022-00164-6>
31. Hernández-Monjaraz, B., Santiago-Orsorio, E., Monroy, A., Ledesma-Martínez, E., & Mendoza-Núñez, V. M. (2018). Mesenchymal Stem Cells of Dental Origin for Inducing Tissue Regeneration in Periodontitis: A Mini-Review [Review of Mesenchymal Stem Cells of Dental Origin for Inducing Tissue Regeneration in Periodontitis: A Mini-Review]. *International Journal*

- of Molecular Sciences, 19(4), 944. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/ijms19040944>
32. Hodgkinson, C. P., Gomez, J. A., Bareja, A., & Dzau, V. J. (2023). Role of Paracrine Mechanisms. <https://www.sciencedirect.com/science/article/pii/B9780128018880000047>
 33. Jalali, M., Kirkpatrick, W. N. A., Cameron, M. G., Pauklin, S., & Vallier, L. (2014). Human Stem Cells for Craniomaxillofacial Reconstruction. In *Stem Cells and Development* (Vol. 23, Issue 13, p. 1437). Mary Ann Liebert, Inc. <https://doi.org/10.1089/scd.2013.0576>
 34. Jazayeri, H. E., Fahimipour, F., Tahriri, M., Almeida, L. E., & Tayebi, L. (2017). Oral nerve tissue repair and regeneration. In *Elsevier eBooks* (p. 319). Elsevier BV. <https://doi.org/10.1016/b978-0-08-100961-1.00019-0>
 35. Jindal, S., Manzoor, F., Niall, H., & Mancuso, E. (2020). 3D printed composite materials for craniofacial implants: current concepts, challenges and future directions. In *The International Journal of Advanced Manufacturing Technology* (Vol. 112, Issue 3, p. 635). Springer Science+Business Media. <https://doi.org/10.1007/s00170-020-06397-1>
 36. Kapur, S., & Pal, A. (2019). Immune Cell Activation: Stimulation, Costimulation, and Regulation of Cellular Activation. In *IntechOpen eBooks*. IntechOpen. <https://doi.org/10.5772/intechopen.81568>
 37. Kolar, M. K., Itte, V., Kingham, P. J., Novikov, L. N., Wiberg, M., & Kelk, P. (2017). The neurotrophic effects of different human dental mesenchymal stem cells. In *Scientific Reports* (Vol. 7, Issue 1). Nature Portfolio. <https://doi.org/10.1038/s41598-017-12969-1>
 38. Kwack, K. H., & Lee, H. (2022). Clinical Potential of Dental Pulp Stem Cells in Pulp Regeneration: Current Endodontic Progress and Future Perspectives [Review of Clinical Potential of Dental Pulp Stem Cells in Pulp Regeneration: Current Endodontic Progress and Future Perspectives]. *Frontiers in Cell and Developmental Biology*, 10. Frontiers Media. <https://doi.org/10.3389/fcell.2022.857066>
 39. Łagosz-Ćwik, K. B., Melnykova, M., Nieboga, E., Schuster, A., Bysiek, A., Dudek, S., Lipska, W., Kantorowicz, M., Tyrakowski, M., Darczuk, D., Kaczmarzyk, T., Gilijamse, M., Vries, T. J. de, Potempa, J., & Grabiec, A. M. (2023). Mapping of DNA methylation-sensitive cellular processes in gingival and periodontal ligament fibroblasts in the context of periodontal tissue homeostasis. In *Frontiers in Immunology* (Vol. 14). Frontiers Media. <https://doi.org/10.3389/fimmu.2023.1078031>
 40. Lastra, A. A. de la, Hixon, K. R., Aryan, L., Banks, A. N., Lin, A. Y., Hall, A. F., & Sell, S. A. (2018). Tissue Engineering Scaffolds Fabricated in Dissolvable 3D-Printed Molds for Patient-Specific Craniofacial Bone Regeneration. In *Journal of Functional Biomaterials* (Vol. 9, Issue 3, p. 46). Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/jfb9030046>
 41. Lenartova, M., Tesinska, B., Janatova, T., Hrebicek, O., Myšák, J., Janata, J., & Najmanová, L. (2021). The Oral Microbiome in Periodontal Health. In *Frontiers in Cellular and Infection Microbiology* (Vol. 11). Frontiers Media. <https://doi.org/10.3389/fcimb.2021.629723>

42. Liu, J., Ruan, J., Weir, M. D., Ren, K., Schneider, A., Wang, P., Oates, T. W., Chang, X., & Xu, H. H. K. (2019). Periodontal Bone-Ligament-Cementum Regeneration via Scaffolds and Stem Cells [Review of Periodontal Bone-Ligament-Cementum Regeneration via Scaffolds and Stem Cells]. *Cells*, 8(6), 537. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/cells8060537>
43. Luo, L., He, Y., Wang, X., Key, B., Lee, B. H., Li, H., & Ye, Q. (2018). Potential Roles of Dental Pulp Stem Cells in Neural Regeneration and Repair [Review of Potential Roles of Dental Pulp Stem Cells in Neural Regeneration and Repair]. *Stem Cells International*, 2018, 1. Hindawi Publishing Corporation. <https://doi.org/10.1155/2018/1731289>
44. Man, R. C., Sulaiman, N., Idrus, R. B. H., Ariffin, S. H. Z., Wahab, R. M. A., & Yazid, M. D. (2019). Insights into the Effects of the Dental Stem Cell Secretome on Nerve Regeneration: Towards Cell-Free Treatment [Review of Insights into the Effects of the Dental Stem Cell Secretome on Nerve Regeneration: Towards Cell-Free Treatment]. *Stem Cells International*, 2019, 1. Hindawi Publishing Corporation. <https://doi.org/10.1155/2019/4596150>
45. Marinkovic, M., Dybdal-Hargreaves, N. F., Block, T. J., Dean, D. D., Yeh, C., & Chen, X. (2020, March 13). Oral and Craniofacial Stem Cells: An Untapped Source for Neural Tissue Regeneration. In *Tissue Engineering Part A* (Vol. 26, Issue 17, p. 935). Mary Ann Liebert, Inc. <https://doi.org/10.1089/ten.tea.2020.0023>
46. Meghil, M. M., Mandil, O., Nevins, M., Saleh, M. H. A., & Wang, H. (2023). Histologic Evidence of Oral and Periodontal Regeneration Using Recombinant Human Platelet-Derived Growth Factor [Review of Histologic Evidence of Oral and Periodontal Regeneration Using Recombinant Human Platelet-Derived Growth Factor]. *Medicina*, 59(4), 676. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/medicina59040676>
47. Mesenchymal Stem Cells and Periodontal Regeneration. (2023). <https://doi.org/10.1007/s40496-013-0010-7>, "keywords": ["Mesenchymal stem cell", "Periodontal", "Regeneration", "Tissue engineering", "Bone marrow", "Dental stem cells", "Inducible pluripotent stem cells", "Allogeneic", "Periodontal ligament", "Cementum", "Bone", "Immunomodulation", "Scaffolds", "Oral and Maxillofacial Surgery"], "image": [], "isPartOf": {"name": "Current Oral Health Reports", "issn": ["2196-3002"], "volumeNumber": "1", "@type": ["Periodical", "PublicationVolume"]}, "publisher": {"name": "Springer International Publishing", "logo": {"url": "https://www.springernature.com/app-sn/public/images/logo-springernature.png", "@type": "ImageObject"}, "@type": "Organization"}, "author": [{"name": "Francis J. Hughes", "affiliation": [{"name": "Kings College London", "address": {"name": "Dental Institute, Kings College London, London, UK", "@type": "PostalAddress"}, "@type": "Organization"}], "email": "francis.hughes@kcl.ac.uk", "@type": "Person"}], "isAccessibleForFree": true, "@type": "ScholarlyArticle", "@context": "[https://schema.org](\"https://schema.org\")\""}, "@type": "WebPage"}
48. Mitchell, J., & Lo, K. W. -H. (2022). Small molecule-mediated regenerative engineering for craniofacial and dentoalveolar bone [Review of Small molecule-mediated regenerative engineering for craniofacial and dentoalveolar bone]. *Frontiers in Bioengineering and Biotechnology*, 10. Frontiers Media. <https://doi.org/10.3389/fbioe.2022.1003936>

49. Mo, F., Heslop, H. E., & Mamonkin, M. (2020, March 22). CRISPR-Edited Immune Effectors: The End of the Beginning. In *Molecular Therapy* (Vol. 28, Issue 4, p. 995). Elsevier BV. <https://doi.org/10.1016/j.ymthe.2020.03.009>
50. Moskow, J., Ferrigno, B. W., Mistry, N., Jaiswal, D., Bulsara, K. R., Rudraiah, S., & Kumbar, S. G. (2018). Review: Bioengineering approach for the repair and regeneration of peripheral nerve [Review of Review: Bioengineering approach for the repair and regeneration of peripheral nerve]. *Bioactive Materials*, 4, 107. Elsevier BV. <https://doi.org/10.1016/j.bioactmat.2018.09.001>
51. Nabhan, A. (2023). Pathophysiology, Clinical Implications and Management of Orofacial Neuropathic Pain- with special attention to Trigeminal neuralgia: A Narrative Review [Review of Pathophysiology, Clinical Implications and Management of Orofacial Neuropathic Pain- with special attention to Trigeminal neuralgia: A Narrative Review]. *Biomedical & Pharmacology Journal*, 16(2), 835. Oriental Scientific Publishing Company. <https://doi.org/10.13005/bpj/2666>
52. Noce, M. L., Paino, F., Spina, A., Naddeo, P., Montella, R., Desiderio, V., Rosa, A. D., Papaccio, G., Tirino, V., & Laino, L. (2014). Dental pulp stem cells: State of the art and suggestions for a true translation of research into therapy [Review of Dental pulp stem cells: State of the art and suggestions for a true translation of research into therapy]. *Journal of Dentistry*, 42(7), 761. Elsevier BV. <https://doi.org/10.1016/j.jdent.2014.02.018>
53. Oh, J.-H. (2018). Recent advances in the reconstruction of cranio-maxillofacial defects using computer-aided design/computer-aided manufacturing [Review of Recent advances in the reconstruction of cranio-maxillofacial defects using computer-aided design/computer-aided manufacturing]. *Maxillofacial Plastic and Reconstructive Surgery*, 40(1). Springer Science+Business Media. <https://doi.org/10.1186/s40902-018-0141-9>
54. Oliver, J. D., Madhoun, W., Graham, E. M., Hendrycks, R., Renouard, M., & Hu, M. S. (2020). Stem Cells Regenerating the Craniofacial Skeleton: Current State-Of-The-Art and Future Directions [Review of Stem Cells Regenerating the Craniofacial Skeleton: Current State-Of-The-Art and Future Directions]. *Journal of Clinical Medicine*, 9(10), 3307. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/jcm9103307>
55. Ostrovidov, S., Ramalingam, M., Bae, H., Orive, G., Fujie, T., Shi, X., & Kaji, H. (2023). Bioprinting and biomaterials for dental alveolar tissue regeneration [Review of Bioprinting and biomaterials for dental alveolar tissue regeneration]. *Frontiers in Bioengineering and Biotechnology*, 11. Frontiers Media. <https://doi.org/10.3389/fbioe.2023.991821>
56. Pandula, P. K. C. P., Samaranayake, L. P., Jin, L., & Zhang, C. (2014). Periodontal ligament stem cells: an update and perspectives [Review of Periodontal ligament stem cells: an update and perspectives]. *Journal of Investigative and Clinical Dentistry*, 5(2), 81. Wiley. <https://doi.org/10.1111/jicd.12089>
57. Park, C. H. (2019). Prototype Development for the Periodontal Model System with the Spatial Compartmentalization by the Additive Manufacturing. In *Applied Sciences* (Vol. 9, Issue 21, p. 4687). Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/app9214687>

58. Paxton, N. C., Powell, S. K., & Woodruff, M. A. (2016). Biofabrication: The Future of Regenerative Medicine. In *Techniques in Orthopaedics* (Vol. 31, Issue 3, p. 190). Lippincott Williams & Wilkins. <https://doi.org/10.1097/bto.0000000000000184>
59. Porta, M., Tonda-Turo, C., Pierantozzi, D., Ciardelli, G., & Mancuso, E. (2020). Towards 3D Multi-Layer Scaffolds for Periodontal Tissue Engineering Applications: Addressing Manufacturing and Architectural Challenges. In *Polymers* (Vol. 12, Issue 10, p. 2233). Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/polym12102233>
60. Pouikli, A., & Tessarz, P. (2021). Epigenetic alterations in stem cell ageing—a promising target for age-reversing interventions? [Review of Epigenetic alterations in stem cell ageing—a promising target for age-reversing interventions?]. *Briefings in Functional Genomics*, 21(1), 35. Oxford University Press. <https://doi.org/10.1093/bfpg/elab010>
61. Rajan, A., Eubanks, E., Edwards, S. P., Aronovich, S., Travan, S., Rudek, I., Wang, F., Lanis, A., & Kaigler, D. (2014). Optimized Cell Survival and Seeding Efficiency for Craniofacial Tissue Engineering Using Clinical Stem Cell Therapy. In *Stem Cells Translational Medicine* (Vol. 3, Issue 12, p. 1495). Wiley. <https://doi.org/10.5966/sctm.2014-0039>
62. Raza, S. S., Popa-Wagner, A., Hussain, Y. S., & Khan, M. A. (2018). Mechanisms underlying dental-derived stem cell-mediated neurorestoration in neurodegenerative disorders [Review of Mechanisms underlying dental-derived stem cell-mediated neurorestoration in neurodegenerative disorders]. *Stem Cell Research & Therapy*, 9(1). BioMed Central. <https://doi.org/10.1186/s13287-018-1005-z>
63. Rosén, A., Tardast, A., & Shi, T. (2016). How Far Have We Come in the Field of Nerve Regeneration After Trigeminal Nerve Injury? [Review of How Far Have We Come in the Field of Nerve Regeneration After Trigeminal Nerve Injury?]. *Current Oral Health Reports*, 3(4), 309. Springer Science+Business Media. <https://doi.org/10.1007/s40496-016-0115-x>
64. Rosenberg, G., Zion, S. R., Shearer, E., Merrell, S. B., Abadilla, N., Spain, D. A., Crum, A. J., & Weiser, T. G. (2020). What constitutes a ‘successful’ recovery? Patient perceptions of the recovery process after a traumatic injury. In *Trauma Surgery & Acute Care Open* (Vol. 5, Issue 1). BMJ. <https://doi.org/10.1136/tsaco-2019-000427>
65. Sanchez-Lara, P. A., Zhao, H., Bajpai, R., Abdelhamid, A., & Warburton, D. (2012). Impact of Stem Cells in Craniofacial Regenerative Medicine. In *Frontiers in Physiology* (Vol. 3). Frontiers Media. <https://doi.org/10.3389/fphys.2012.00188>
66. Sclafani, A. P. (2013). Stem Cells and Molecular Advances in the Treatment of Facial Skin [Review of Stem Cells and Molecular Advances in the Treatment of Facial Skin]. *Facial Plastic Surgery Clinics of North America*, 21(1), 77. Elsevier BV. <https://doi.org/10.1016/j.fsc.2012.10.005>
67. Sgarzani, R., Meccariello, G., Iannella, G., Gessaroli, M., Vicini, C., Melandri, D., & Morellini, A. (2022). Computer-aided design and manufacturing technology applied to total nasal reconstruction. In *European Journal of Plastic Surgery* (Vol. 46, Issue 3, p. 433). Springer Science+Business Media. <https://doi.org/10.1007/s00238-022-02014-4>

68. Shakoory, P., Zhang, Q., & Le, A. D. (2016). Applications of Mesenchymal Stem Cells in Oral and Craniofacial Regeneration [Review of Applications of Mesenchymal Stem Cells in Oral and Craniofacial Regeneration]. *Oral and Maxillofacial Surgery Clinics of North America*, 29(1), 19. Elsevier BV. <https://doi.org/10.1016/j.coms.2016.08.009>
69. Sharma, A., Sane, H., Gokulchandran, N., Badhe, P., Paranjape, A., Kulkarni, P., & Nair, V. (2019). Neuroregenerative-Rehabilitative Therapy for Spinal Cord Injury. In IntechOpen eBooks. IntechOpen. <https://doi.org/10.5772/intechopen.88808>
70. Shin, S. Y., Rios, H. F., Giannobile, W. V., & Oh, T.-J. (2023). Periodontal regeneration. <https://www.sciencedirect.com/science/article/pii/B9780123971579000400>
71. Smith, P. C., Martínez, C., Cáceres, M., & Martínez, J. (2014). Research on growth factors in periodontology [Review of Research on growth factors in periodontology]. *Periodontology* 2000, 67(1), 234. Wiley. <https://doi.org/10.1111/prd.12068>
72. Stoppel, W. L., Ghezzi, C. E., McNamara, S. L., Black, L. D., & Kaplan, D. L. (2014). Clinical Applications of Naturally Derived Biopolymer-Based Scaffolds for Regenerative Medicine [Review of Clinical Applications of Naturally Derived Biopolymer-Based Scaffolds for Regenerative Medicine]. *Annals of Biomedical Engineering*, 43(3), 657. Springer Science+Business Media. <https://doi.org/10.1007/s10439-014-1206-2>
73. Strzelec, M., Detka, J., Mieszczak, P., Sobocińska, M., & Majka, M. (2023). Immunomodulation—a general review of the current state-of-the-art and new therapeutic strategies for targeting the immune system [Review of Immunomodulation—a general review of the current state-of-the-art and new therapeutic strategies for targeting the immune system]. *Frontiers in Immunology*, 14. Frontiers Media. <https://doi.org/10.3389/fimmu.2023.1127704>
74. Sudhakara, P., Gupta, A., Bhardwaj, A., & Aruni, W. (2018). Oral Dysbiotic Communities and Their Implications in Systemic Diseases [Review of Oral Dysbiotic Communities and Their Implications in Systemic Diseases]. *Dentistry Journal*, 6(2), 10. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/dj6020010>
75. Sui, B., Chen, C., Kou, X., Li, B., Xuan, K., Shi, S., & Jin, Y. (2018). Pulp Stem Cell–Mediated Functional Pulp Regeneration [Review of Pulp Stem Cell–Mediated Functional Pulp Regeneration]. *Journal of Dental Research*, 98(1), 27. SAGE Publishing. <https://doi.org/10.1177/0022034518808754>
76. Sultan, N., Amin, L., Zaher, A. R., Grawish, M. E., & Scheven, B. A. (2020). Neurotrophic effects of dental pulp stem cells on trigeminal neuronal cells. In *Scientific Reports* (Vol. 10, Issue 1). Nature Portfolio. <https://doi.org/10.1038/s41598-020-76684-0>
77. Takebe, T., & Wells, J. M. (2019). Organoids by design. In *Science* (Vol. 364, Issue 6444, p. 956). American Association for the Advancement of Science. <https://doi.org/10.1126/science.aaw7567>
78. Tang, E., & Arany, P. R. (2013). Photobiomodulation and implants: implications for dentistry [Review of Photobiomodulation and implants: implications for dentistry]. *Journal of Periodontal & Implant Science*, 43(6), 262. <https://doi.org/10.5051/jpis.2013.43.6.262>

79. Tiberio, F., Cacciotti, I., Frassanito, P., Nocca, G., Tamburrini, G., Arcovito, A., & Lattanzi, W. (2021). Personalized Bone Reconstruction and Regeneration in the Treatment of Craniosynostosis. In *Applied Sciences* (Vol. 11, Issue 6, p. 2649). Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/app11062649>
80. Tomokiyo, A. (2016). Periodontal Ligament Stem Cells in Regenerative Dentistry for Periodontal Tissues. In *Journal of Stem Cell Research & Therapeutics* (Vol. 1, Issue 3). MedCrave Group. <https://doi.org/10.15406/jsrt.2016.01.00019>
81. Tuffaha, S., Sarhane, K., Qiu, C., Harris, ThomasG. W., Hanwright, P., & Mao, H. (2022). Translational bioengineering strategies for peripheral nerve regeneration: opportunities, challenges, and novel concepts [Review of Translational bioengineering strategies for peripheral nerve regeneration: opportunities, challenges, and novel concepts]. *Neural Regeneration Research*, 18(6), 1229. Medknow. <https://doi.org/10.4103/1673-5374.358616>
82. Upadhyay, A., Pillai, S., Khayambashi, P., Sabri, H., Lee, K. T., Tarar, M., Zhou, S., Harb, I., & Tran, S. D. (2020). Biomimetic Aspects of Oral and Dentofacial Regeneration [Review of Biomimetic Aspects of Oral and Dentofacial Regeneration]. *Biomimetics*, 5(4), 51. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/biomimetics5040051>
83. Vishnubhatla, I., Corteling, R., Stevanato, L., Hicks, C., & Sinden, J. D. (2014). The Development of Stem Cell-Derived Exosomes as a Cell-Free Regenerative Medicine. In *Journal of Circulating Biomarkers* (Vol. 3, p. 2). SAGE Publishing. <https://doi.org/10.5772/58597>
84. Wang, D., Wang, Y., Pan, J., & Tian, W. (2020). Neurotrophic effects of dental pulp stem cells in repair of peripheral nerve after crush injury. In *World Journal of Stem Cells* (Vol. 12, Issue 10, p. 1196). Baishideng Publishing Group. <https://doi.org/10.4252/wjsc.v12.i10.1196>
85. Wang, D., Wang, Y., Tian, W., & Pan, J. (2019). Advances of tooth-derived stem cells in neural diseases treatments and nerve tissue regeneration [Review of Advances of tooth-derived stem cells in neural diseases treatments and nerve tissue regeneration]. *Cell Proliferation*, 52(3). Wiley. <https://doi.org/10.1111/cpr.12572>
86. Wang, M., Xie, J., Wang, C., Zhong, D., Xie, L., & Fang, H. (2020). Immunomodulatory Properties of Stem Cells in Periodontitis: Current Status and Future Prospective [Review of Immunomodulatory Properties of Stem Cells in Periodontitis: Current Status and Future Prospective]. *Stem Cells International*, 2020, 1. Hindawi Publishing Corporation. <https://doi.org/10.1155/2020/9836518>
87. Wang, X., Wang, G., Zingales, S. K., & Zhao, B. (2018). Biomaterials Enabled Cell-Free Strategies for Endogenous Bone Regeneration [Review of Biomaterials Enabled Cell-Free Strategies for Endogenous Bone Regeneration]. *Tissue Engineering Part B Reviews*, 24(6), 463. Mary Ann Liebert, Inc. <https://doi.org/10.1089/ten.teb.2018.0012>
88. Wieringa, P., Pinho, A. R. G. de, Micera, S., Wezel, R. van, & Moroni, L. (2018). Biomimetic Architectures for Peripheral Nerve Repair: A Review of Biofabrication Strategies [Review of Biomimetic Architectures for Peripheral Nerve Repair: A Review of Biofabrication Strategies]. *Advanced Healthcare Materials*, 7(8). Wiley. <https://doi.org/10.1002/adhm.201701164>

89. Xing, X., Han, S., Li, Z., & Li, Z. (2020). Emerging role of exosomes in craniofacial and dental applications [Review of Emerging role of exosomes in craniofacial and dental applications]. *Theranostics*, 10(19), 8648. Ivyspring International Publisher. <https://doi.org/10.7150/thno.48291>
90. Xiong, W., Liu, Y., Zhou, H., Jing, S., He, Y., & Ye, Q. (2022). Alzheimer's disease: Pathophysiology and dental pulp stem cells therapeutic prospects [Review of Alzheimer's disease: Pathophysiology and dental pulp stem cells therapeutic prospects]. *Frontiers in Cell and Developmental Biology*, 10. Frontiers Media. <https://doi.org/10.3389/fcell.2022.999024>
91. Yang, G., & Huang, X. (2019). Methods and applications of CRISPR/Cas system for genome editing in stem cells [Review of Methods and applications of CRISPR/Cas system for genome editing in stem cells]. *Cell Regeneration*, 8(2), 33. Springer Nature. <https://doi.org/10.1016/j.cr.2019.08.001>
92. Ye, Y., Salvo, E., Romero-Reyes, M., Akerman, S., Shimizu, E., Kobayashi, Y., Michot, B., & Gibbs, J. L. (2021). Glia and Orofacial Pain: Progress and Future Directions [Review of Glia and Orofacial Pain: Progress and Future Directions]. *International Journal of Molecular Sciences*, 22(10), 5345. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/ijms22105345>
93. Young, F. I., Sloan, A. J., & Song, B. (2013). Dental pulp stem cells and their potential roles in central nervous system regeneration and repair [Review of Dental pulp stem cells and their potential roles in central nervous system regeneration and repair]. *Journal of Neuroscience Research*, 91(11), 1383. Wiley. <https://doi.org/10.1002/jnr.23250>
94. Zhang, G., Li, Q., Yuan, Q., & Zhang, S. (2020). Spatial Distributions, Characteristics, and Applications of Craniofacial Stem Cells [Review of Spatial Distributions, Characteristics, and Applications of Craniofacial Stem Cells]. *Stem Cells International*, 2020, 1. Hindawi Publishing Corporation. <https://doi.org/10.1155/2020/8868593>
95. Zhang, K., & Cheng, K. (2023). Stem cell-derived exosome versus stem cell therapy. In *Nature Reviews Bioengineering* (Vol. 1, Issue 9, p. 608). <https://doi.org/10.1038/s44222-023-00064-2>
96. Zhang, X., Kang, X., Ji, L., Bai, J., Liu, W., & Wang, Z. (2018). Stimulation of wound healing using bioinspired hydrogels with basic fibroblast growth factor (bFGF). In *International Journal of Nanomedicine* (p. 3897). Dove Medical Press. <https://doi.org/10.2147/ijn.s168998>
97. Zhou, D., Gan, L., Peng, Y., Zhou, Y., Zhou, X., Wan, M., Fan, Y., Xu, X., Zhou, X., Zheng, L., & Du, W. (2020). Epigenetic Regulation of Dental Pulp Stem Cell Fate [Review of Epigenetic Regulation of Dental Pulp Stem Cell Fate]. *Stem Cells International*, 2020, 1. Hindawi Publishing Corporation. <https://doi.org/10.1155/2020/8876265>
98. Zhou, Y., & Grayson, W. L. (2022). Three-dimensional printing of scaffolds for facial reconstruction. In *MRS Bulletin* (Vol. 47, Issue 1, p. 91). Springer Nature. <https://doi.org/10.1557/s43577-021-00261-7>